
# M.MCELROY www.mcelroy.com























## McElroy No.2LC Machines but fuse 1/2" CTS

- 2" IPS (16 mm - 60 mm) pipe. The No.2LC (Locking Cam) incorporates McElroy's patented Centerline Guidance System, and is designed to but fuse tees, ells, and other fittings with consistent high quality results. The machine's semi-automatic locking cam system maintains force during the cooling cycle.

The machine is primarily made of surface hardened aluminum for light weight and durability. The jaws and inserts have multiple serrations for maximum grip on the pipe.

- Lightweight and durable
- Semi-Automatic locking cam
- Economic alternative
- Features new compact heater


#### **No.2LC Fusion Machines**


Package includes: fusion machine, facer, Multi-Mc heater, butt fusion heater adapter set, insulated heater/facer stand, screw/driver kit, and operator's manual.

Description	Part No.
100-120V, 50/60Hz, 1Ph	A217201
200-240V, 50/60Hz, 1Ph	A217202



# No.2LC Accessories:





weight 23lbs (10.4kg) input power 800 Watts

## Multi-Mc™ Heater Kits

Heaters have a microprocessor control and dial thermometer to monitor temperature. Includes butt adapter plates.

Description	Part No.
100-120V, 50/60Hz,1Ph	A215505
200-240V, 50/60Hz,1Ph	A215506



## **Spare Butt Plate Kit**

Heater adapters have an anti-stick coating and are required for butt fusion.

Description	Part No.	
Kit = 2 Adapter Plates	A215701	
Includes attaching screws.		



## **Insert & Adapter Box**

Storage box for organizing your inserts

and adapters for safe keeping.		
Description	Part No.	
Storage Box	A200901	



## **No.2LC Storage Box**

Storage box for No. 2LC Fusion Machine, inserts and adapters.

Description	Part No.
No.2LC Storage Box	MJQ00193



### Heat Shield

For fusing two materials with different melt rates. Shields the faster melt rate materials from overmelting.

Description	Part No.	
Heat Shield	203004	

## **Screw/Driver Kit**

Spare Driver Kit with insert screws and wire brush for cleaning serrated jaws and inserts.

Description	Part No.
Driver Kit	A214201



## **Spare Facer Blades**

Description	Part No.	
Blade Set = 4 Blades	205702	
		0

## **Pyrometer Kit**

Pyrometer kit for accurately checking surface temperatures of heater.

Description	Part No.
Digital Meter	A218803







**Spare Facer & Stand** 



#### **Butt Fusion Inserts**

Description	Part No.
½" IPS	207521
¾′′ IPS	207512
1" IPS	207513
1¼" IPS	207514
1½" IPS	207515
½" CTS	207516
¾" CTS	207517
1" CTS	207518
1¼" CTS	207519
1½" CTS	207533
20mm	207523
25mm	207525
32mm	207527
40mm	207529
50mm	207531

Inserts are surface hardened for longer life and are serrated for maximum grip on the pipe. Inserts are made for one size pipe only and are required for pipe sizes less than 2" IPS or

**Note:** Other sizes of inserts are available upon request. Contact your McElroy representative about inserts to fit your needs.

For JIS sizes see pg. 40-1